DS No: 00625-0063	date: 7/24/2019 Version: 1.0
SECTION 1: Identification of the	he hazardous chemical and of the supplier
I.1 Product identifier	
Product name	: Cleaner tab for all RATIONAL SelfCookingCenter® and CombiMaster® Plus models with automatic cleaning, ArtNr. 56.00.206, 56.00.210, 56.00.220
Product form	: Mixture
1.2 Other means of identificatio	n
No additional information available	
	he substance or mixture and uses advised against
Recommended use	: Cleaning agent
1.4 Supplier's details	
RATIONAL AG Siegfried-Meister-Straße 1 86899 Landsberg am Lech - Germany T +49 8191 327-2563 - F +49 8191 327- E-mail address of competent person res	-72 2563 sponsible for the SDS: reinigung@rational-online.com
	ponsible for the SDS. reinigung@rational-online.com
1.5. Emergency phone number	
Emergency number	: 0800 764 766 (NPC)
SECTION 2: Hazards identifica	ation
HSNO Approval Number Hazardous nature	 HSR002595 Classified as a dangerous good according to NZS 5433:2007, Classified as hazardous
	according to criteria in the Hazardous Substances (Classification) Regulations 2001.
8.2A 8.3A	Skin corrosion/irritation, Category 1A Serious eye damage/eye irritation, Category 1
2.2. Label elements	
GHS NZ labelling	
Hazard pictograms (GHS NZ)	CHS05
Signal word (GHS NZ)	: Danger
Contains	 Sodium hydroxide (>20 %); disodium metasilicate (10 - 20 %); Fatty alcohol alkoxylates (1 <2,5 %)
	: H314 - Causes severe skin burns and eye damage.
Hazard statements (GHS NZ)	. P101 If madical advice is peeded, have product container or label at hand
	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.
Precautionary statements	
Hazard statements (GHS NZ) Precautionary statements Prevention Response	P102 - Keep out of reach of children.

No additional information available

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to GHS NZ
Sodium hydroxide	(CAS-No.) 1310-73-2	>20	8.2A: Skin Corr. 1A, H314
disodium metasilicate	(CAS-No.) 6834-92-0	10 - 20	8.2B: Skin Corr. 1B, H314 6.1E (Respiratory tract irritant) : STOT SE 3, H335
Sodium carbonate	(CAS-No.) 497-19-8	10 - 20	6.4A: Eye Irrit. 2, H319
Pentasodium triphosphate	(CAS-No.) 7758-29-4	10 - 20	Not classified
Fatty alcohol alkoxylates	(CAS-No.) 111190-40-0	1 -<2,5	8.3A: Eye Dam. 1, H318 9.1A: Aquatic Acute 1, H400

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Take off immediately all contaminated clothing. Call a physician immediately.	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.	
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.	
4.2. Most important symptoms and effect	ts, both acute and delayed	
Symptoms/effects after skin contact	: Burns.	
Symptoms/effects after eye contact	: Serious damage to eyes.	
Symptoms/effects after ingestion	: Burns.	
4.3. Indication of any immediate medica	I attention and special treatment needed	
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
Unsuitable extinguishing media	: Strong water jet.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of	:Toxic fumes may be released.	
fire	. Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Do not allow run-off from fire fighting to enter drains or water courses.	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	
EAC code	: 2X - 2X	
SECTION 6: Accidental release meas	sures	
6.1. Personal precautions, protective eq	uipment and emergency procedures	
No additional information available		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.	

CLEANER-TAB

Safety Data Sheet

according to the Hazardous Substances and New Organisms Act (1996) SDS No: 00625-0063

Protective equi	ronmental precautions	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Envi	ronmental precautions	
Avoid release t	o the environment.	
6.3. Meth	ods and material for containmer	nt and cleaning up
Methods for cle	aning up	: Mechanically recover the product.
SECTION 7	: Handling and storage, in	cluding how the chemical may be safely used
7.1. Prec	autions for safe handling	
Precautions for	safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measu	ires	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product Always wash hands after handling the product.
7.2. Cond	litions for safe storage, including	g any incompatibilities
Storage conditi	ons	: Store locked up. Store in a well-ventilated place. Keep cool.
Information on	mixed storage	: Acids.
Packaging mat	erials	: Don't use packaging made out of aluminium, zinc or tin.
SECTION 8	: Exposure controls/perso	nal protection
8.1. Cont	rol parameters	

Sodium hydroxide (1310-73-2) New Zealand - Occupational Exposure Limits Local name Sodium hydroxide OEL - Ceilings (mg/m³) 2 mg/m³ Regulatory reference Worplace Exposure Standards and Biological Exposure Indices, 9th Edition

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Natural rubber	6 (> 480 minutes)	0,6		EN ISO 374
Eye protection		: tightly fitting safety	goggles. Eyewash bottle	with clean water (EN 1	5154)
Skin and body protection	on	: Wear suitable prote	ctive clothing		
Respiratory protection		: In case of insufficier	nt ventilation, wear suital	ole respiratory equipme	ent
Environmental exposu	re controls	: Avoid release to the	environment.		

SECTION 9: Physical and c	nemical properties
Physical state	: Solid
Appearance	: No data available
Colour	: white
Odour	: characteristic

Odour threshold	: No data available
рН	: 12.7 pH solution : 1 %
Evaporation rate	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative density	: No data available
Density	: Density : 1100 g/l @ 20°C Relative density : Not applicable
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosive limits	: Not applicable
Minimum ignition energy	: No data available
VOC content	: <3%

The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Exothermic reaction on contact with : Acids.
10.4. Conditions to avoid
Moisture.
10.5. Incompatible materials
Acids. metals.
10.6. Hazardous decomposition products

Hydrogen. irritating gases. corrosive gas.

Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
disodium metasilicate (6834-92-0)		
LD50 oral	600 mg/kg	
Pentasodium triphosphate (7758-29	-4)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 4640 mg/kg	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
	pH: 12.7	
Serious eye damage/irritation	: Causes serious eye damage.	
Printing date: 26/07/2019	NZ - en	4/8

Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Cleaner-tab

Viscosity, kinematic

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.	
Acute aquatic toxicity	Not classified	
Chronic aquatic toxicity	Not classified	
Soil toxicity	Not classified	
Terrestrial vertebrate toxicity	Not classified	
Terrestrial invertebrate toxicity	Not classified	
Sodium carbonate (497-19-8)		
BCF fish 1	No bioaccumulation	
LD50 dermal mouse	2210 mg/kg	
Pentasodium triphosphate (7758-29-4)		
LC50 fish 1	1650 mg/l	
EC50 Daphnia 1	1089 mg/l	
LD50 dermal rabbit	> 4640 mg/kg	
LD50 oral rat	> 2000 mg/kg	
12.2. Persistence and degradability		
Cleaner-tab		
Persistence and degradability	No additional information available	
12.3. Bioaccumulative potential		
Cleaner-tab		
Bioaccumulative potential	No additional information available	
Sodium carbonate (497-19-8)	<u>-</u>	
BCF fish 1	See section 12.1 on ecotoxicology	
12.4. Mobility in soil		
Cleaner-tab		
Mobility in soil	No additional information available	
12.5. Other adverse effects		
Ozone	Not classified	
Other adverse effects	No additional information available	
SECTION 13: Disposal considerations	3	

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Recycling is preferred to disposal or incineration. Empty remaining contents. Do not re-use empty containers without proper cleaning or reconditioning. Dirty containers cannot be handled as normal waste.

SECTION 14: Transport information

IMDG	ΙΑΤΑ	UNRTDG	
14.1. UN number			
3262	3262	3262	
14.2. Proper Shipping Name	•		
CORROSIVE SOLID, BASIC, INORGANIC,	Corrosive solid, basic, inorganic, n.o.s.	CORROSIVE SOLID, BASIC, INORGANIC,	
N.O.S. (Sodium hydroxide ; disodium	(Sodium hydroxide ; disodium metasilicate)	N.O.S. (disodium metasilicate ; Sodium	
metasilicate)		hydroxide)	
14.3. Transport hazard class(es)			
8	8	8	
N N N N N N N N N N N N N N N N N N N	8	8	
14.4. Packing group			
II	11	11	
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
Marine pollutant : No			
No supplementary information available			
4.6. Special precautions for user			

UN RTDG

Special provisions (UN RTDG)	: 274
Limited quantities (UN RTDG)	: 1 kg
Excepted quantities (UN RTDG)	: E2
Packing instruction (UN RTDG)	: P002, IBC08
Special packing provisions (UN RTDG)	: B2, B4
Portable tank and bulk container special instructions (UN RTDG)	: T3
Portable tank and bulk container special provisions (UN RTDG)	: TP33
IMDG	
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P002
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.
MFAG-No	: 154
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E2

CLEANER-TAB

Safety Data Sheet according to the Hazardous Substances and New Organisms Act (1996) SDS No: 00625-0063

SDS No: 00625-0063	
PCA Limited quantities (IATA)	: Y844
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 859
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 863
CAO max net quantity (IATA)	: 50kg
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L
14.7. Transport in bulk according to Ann	nex II of MARPOL 73/78 and the IBC Code
Not applicable	
14.8. Hazchem or Emergency Action Coo	de
EAC code	: 2X.
SECTION 15: Regulatory informatio	
	national regulations specific for the product
Hazardous Substances and New Organisms	
HSNO Approval Number	: HSR002595
disodium metasilicate (6834-92-0)	
Hazardous Substances and New Organisms	Act
HSNO Approval Number	: HSR003511
Sodium carbonate (497-19-8)	
Hazardous Substances and New Organisms	Act
HSNO Approval Number	: HSR003265
Pentasodium triphosphate (7758-29-4)	
Hazardous Substances and New Organisms	Act
HSNO Approval Number	: HSR003416
Sodium hydroxide (1310-73-2)	
Hazardous Substances and New Organisms	Act
HSNO Approval Number	: HSR001547
15.2. Chemical safety assessment	
No additional information available	
SECTION 16: Other information	

SECTION TO. Other information	
Date of issue	: 7/24/2019
Revision date	: 24/07/2019

Abbreviations and acronyms:		
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	

Printing date: 26/07/2019

Department of Transport
Transportation of Dangerous Goods
Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
International Agency for Research on Cancer
Very Persistent and Very Bioaccumulative
Persistent Bioaccumulative Toxic
Predicted No-Effect Concentration
CAS (Chemical Abstracts Service) number
Acute Toxicity Estimate
Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
Bioconcentration factor
Transport of Australian Dangerous Goods

Full text of H-statements:

6.1E (Respiratory tract irritant) : STOT SE 3	6.1E (Respiratory tract irritant) : Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
6.4A: Eye Irrit. 2	6.4A: Serious eye damage/eye irritation, Category 2
8.2A: Skin Corr. 1A	8.2A: Skin corrosion/irritation, Category 1A
8.2B: Skin Corr. 1B	8.2B: Skin corrosion/irritation, Category 1B
8.3A: Eye Dam. 1	8.3A: Serious eye damage/eye irritation, Category 1
9.1A: Aquatic Acute 1	9.1A: Hazardous to the aquatic environment — Acute Hazard, Category 1
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.